



Espacios emergentes de sexo en hombres gais: las fiestas privadas de sexo en grupo y prácticas sexuales

Dr. Percy Fernández Dávila


Dos grandes fenómenos se han disparado en los últimos 8 años

- ChemSex
- Sexo en grupo

Definición de ChemSex

- Uso intencionado de drogas para tener relaciones sexuales por un período largo de tiempo (varias horas o días).
- Incluye un uso no-problemático y problemático.
- El elemento clave en esta definición es el tiempo.
- A mayor tiempo, mayor exposición a diversos riesgos o daños: **consumo** (intoxicación, sobredosis, aparición de síntomas psicóticos, muerte), **salud sexual** (irritación, heridas, rasgados, sangrado de la mucosa anal, de la piel del pene, fractura del pene, no uso del condón), **psicológico** (vergüenza, culpa), **social** (rechazo, expulsión, exclusión) y **material** (gasto económico excesivo, robos).

Prevalencia del consumo de drogas en 5 estudios en HSH a nivel estatal




a: Consumo de alguna droga (últimos 12 meses) antes o durante las relaciones sexuales


b: Consumo de alguna droga (últimos 3 meses) antes o durante las relaciones sexuales

c: Consumo de alguna droga (últimos 12 meses)

Consumo de drogas en HSH latinoamericanos (LatinSex2012)



SIALON II (2013)



- El **28,3%** (IC95%: 18%-42%) de los hombres encuestados en locales de ocio gay en Barcelona tuvieron sexo con drogas (excluye alcohol) en la última relación sexual.

Las fiestas de sexo (“sesión”)

- Uno-a-uno (‘fiestita’), trío, sexo en grupo (orgías)
- Consumo de drogas
- Duración: horas a días (maratón sexual).
- Organizador: grupo nuclear o parejas en relación abierta
- Asistentes se contactan por páginas web, Apps, o a través de contactos agendados (Whatsapp).
- Pueden desfilar muchos hombres (entran y salen) durante toda la fiesta (dependiendo de la duración, hasta 20-30 hombres).
- Ejemplo máximo de la formación de redes sexuales.
- Autoselección “natural” según seroestatus.
- Casi todas son de bareback.
- Prácticas sexuales: cerdeo y guarreo.

VIDA

Una bacanal gay en la zona 'pija' de Barcelona acaba en gatillazo


Ignasi Jorro LUNES, 4 DE ENERO DE 2016 - 16:41

47

Compartidos



3 min



Un palacete de Sarrià acogió la fiesta DEEPPravation.


FOTO: CG

Motivos para asistir a fiestas privadas de sexo


(Fernández-Dávila et al., 2017)

- Variedad y diversidad de formas de experimentar el sexo.
- Búsqueda de intimidad emocional.
- Conocer gente, hacer amigos o formar un grupo de amigos.
- Conexión que se puede establecer con los otros asistentes (“colegueo”).
- Tener acceso a hombres (guapos, musculosos) que en otro contexto no se interesarían por ellos.
- Buscar perder el control.
- Privacidad que ofrece estar en una casa particular.
- Tener acceso a las drogas.


Asistencia a fiestas privadas de sexo en los últimos 12 meses según el estado serológico frente al VIH



Prevalencias del consumo de drogas en los últimos 12 meses (EMIS)




Prevalencias del consumo de drogas en los últimos 12 meses (LatinSex2012)



Consumo de drogas asociadas a ChemSex en España y participación en fiestas de sexo (tríos, sexo en grupo)

Datos del servicio de la prueba de Stop Sida y de la cohorte de trabajadore/as sexuales (2015-2016)



Objetivos

- Describir el perfil socio-demográfico de los HSH que usan drogas y asisten a fiestas privadas de sexo.
- Analizar los factores asociados con ambas conductas.

MÉTODOS (Weatherburn et al., 2013; Informe EMIS-España, 2013)


- Aproximación colectiva, diversos socios (gubernamental, académicos y ONGs) y medios de comunicación social.
- Encuesta online en 25 idiomas europeos.
- Participantes fueron reclutados principalmente a través de páginas de contacto nacionales y pan-europeas.
- Estuvo online durante 3 meses (Junio-Agosto 2010)
- Muestra final para el análisis: 13,111 hombres.
- El test de Chi-cuadrado fue utilizado para comparar proporciones, y análisis de regresión logística multivariada.

La variable a estudiar se construyó a partir de los que declararon haber asistido a fiestas privadas de sexo en los últimos 12 meses y haber consumido drogas (asociadas a ChemSex en España) en los últimos 12 meses


- Cocaína (tema, farla, blanca, C)
- GHB/GBL (éxtasis líquido, bote, G)
- Metanfetamina, crystal meth (Tina, T)
- MDMA (cristal)
- Éxtasis/Silver (pasti)
- Speed (rápido)
- Ketamina (Keta, kei, K)
- Mefedrona (Mefe)

Resultados


Consumo de drogas asociadas al ChemSex en España




Porcentaje de HSH que consumen drogas y asisten a fiestas privadas de sexo en los últimos 12 meses




Consumo de drogas y asistencia a fiestas de sexo según tamaño de la población de residencia




Consumo de drogas y asistencia a fiestas de sexo según ciudad con más de 500.000 habitantes




Consumo de drogas y asistencia a fiestas de sexo según origen




Consumo de drogas y asistencia a fiestas de sexo según región de origen (n=2.827)




Consumo de drogas y asistencia a fiestas de sexo según edad




Consumo de drogas y asistencia a fiestas de sexo según nivel educativo*




Consumo de drogas y asistencia a fiestas de sexo según ocupación




Consumo de drogas y asistencia a fiestas de sexo según orientación sexual




Consumo de drogas y asistencia a fiestas de sexo según estado serológico frente al VIH



Consumo de drogas y asistencia a fiestas de sexo según haber recibido dinero a cambio de sexo en los últimos 12 meses



Modelo multivariado* sobre los factores asociados al consumo de drogas y a la asistencia a fiestas privadas de sexo (n=11.351)



* Modelo ajustado por: fuente de reclutamiento, tamaño poblacional, edad y educación

Conclusiones






- La “tormenta perfecta”: drogas y sexo.
- Se ha identificado un subgrupo de hombres que se exponen elevadamente a diversos riesgos.
- Da un indicador aproximado de HSH que hacen ChemSex, aunque se excluyen a aquellos que hacen ChemSex en locales de sexo y a aquellos que lo hacen uno-a-uno.
- Las fiestas de sexo son un espacio de formación de redes sexuales (y sociales).
- Asistir a una fiesta de sexo y consumir drogas son potenciales contribuidores para la transmisión y adquisición del VIH y otras ITS.



Cerdeo y guarreo



Por las páginas de contacto y las apps se encuentran otros hombres con los mismos intereses sexuales



View Guys Online

Select New Location:

Spain ▼

Barcelona ▼

Show only:

All Guys ▼

All Profiles ▼

Online Now Worldwide Or

In Barcelona, ES

Quick Connect Ads (0)

Local Parties (0)

Detailed Search

New Guys Last 7 Days

All Guys In My Location

Travelers In My Location

EMAIL

Buddy Stuff

Who Checked You Out

Who Buddy Listed You

Buddies Online Now (0)

Who You've Buddy Listed

Who You've Blocked

Who Oinked Who

Welcome

Today's M

Chatrooms

Formación de redes o grupos de hombres

The screenshot shows a web browser window with the URL www.planetromeo.com/auswertung/setcard/?set=10192718&t=3&secure=AeIL2Vvc68pc1p3Ub5GxbIMrGQYi. The page displays the profile for a club named "safechemseurope", established on 25.3.2015. The club's location is listed as Paris - 04 Hôtel de ville (830 km) in Francia, París - Isla de Francia. A "CLUB" logo with a castle icon is also visible. The page is divided into several sections: a navigation bar with "Módulo de club", "Enviar mensaje", "Historial de mensajes", and "Guardar perfil"; a left sidebar with "Álbum de imágenes", "92 socios" (listing Europa, España, Barcelona, and Barcelona - Eixample), "Conectados ahora", "Búsqueda detallada", "Sin perfiles enlazados", "Reglamento y admisión", "Foro", "Fundación del club" (12.Feb.2012), "Visitas" (2722), and "Denunciar este Club"; and a main content area with "Notas" (Name: safechemseurope, Categoría del club: Sexo y fetiches » Otras prácticas sexuales, Alcance: continente, Idioma: Inglés) and a description: "European club for people who like safe chemsdates or who want to participate in a safe chemsdate. This club is a place where people with balls and brains can meet, who always practice safe sex and are safe and clean and want to stay that way. This European club is for people in the United Kingdom, Holland, Germany, Belgium, Luxembourg, France, Italy, Spain and Portugal. have fun!".

safechemseurope 25.3.2015
Paris - 04 Hôtel de ville (830 km)
Francia, París - Isla de Francia

CLUB

Módulo de club Enviar mensaje Historial de mensajes Guardar perfil

Álbum de imágenes

92 socios
Europa
España
Barcelona
Barcelona - Eixample

Conectados ahora
Búsqueda detallada

Sin perfiles enlazados

Reglamento y admisión

Foro

Fundación del club
12.Feb.2012

Visitas
2722

Denunciar este Club

Notas

Name: safechemseurope

Categoría del club: Sexo y fetiches » Otras prácticas sexuales

Alcance: continente

Idioma: Inglés

European club for people who like safe chemsdates or who want to participate in a safe chemsdate.

This club is a place where people with balls and brains can meet, who always practice safe sex and are safe and clean and want to stay that way.

This European club is for people in the United Kingdom, Holland, Germany, Belgium, Luxembourg, France, Italy, Spain and Portugal.

have fun!

La erotización del semen

LO MEJOR QUE HAY ES SENTIR SU LECHE CALIENTE

THE BEST THING IS TO FEEL HIS WARM MILK

Arch Sex Behav
DOI 10.1007/s10508-013-0074-4

ORIGINAL PAPER

Culture, Health & Sexuality, October 2008; 10(7): 667–679



“Cum Play” among Gay Men

(UNIV

Garrett Prestage · Michael Hurley · Graham Brown

‘It’s like the treasure’: beliefs associated with semen among young HIV-positive and HIV-negative gay men

Arch Sex Behav (2012) 41:377–384
DOI 10.1007/s10508-011-9770-0

ORIGINAL PAPER

ARN J. SCHILDER¹, T
BUCHNER³, MARY LA
HOGG^{1,2} & STEFFAN

¹British Columbia Centre for
²Faculty of Health Sciences,
Health Authority, Vancouver
Medicine, University of Ca
³Department of Women’s Stud

Felching Among Men Who Engage in Barebacking (Unprotected Anal Sex)

Hugh Klein

Received: 14 November 2009 / Revised: 28 May 2010 / Accepted: 5 February 2011 / Published online: 14 May 2011
© Springer Science+Business Media, LLC 2011

Abstract Felching (sucking or eating semen out of someone’s anus) is a sexual behavior about which virtually nothing has been written in the scholarly literature, despite the fact that it appears to be a not-uncommon practice among certain subpopulations of men who have sex with men (MSM). This study examined three broad research questions: (1) How common is felching? (2) How does a desire for felching relate to other HIV risk practices and risk behavior preferences? (3) What factors are associated with the desire to engage in felching? The data were from a content analysis study of one of the largest Internet websites specifically targeting MSM looking for partners for unprotected sex. A total of 1,316 profiles on the site were analyzed and selected randomly based on users’ ZIP codes. Felching was mentioned as a sought-after practice in approximately one-sixth of the men’s profiles. Men who wanted to find felching partners were significantly more likely than those not searching for felching partners to seek

Introduction

Felching is a sexual practice, fairly common among men who have sex with other men (MSM) but not limited to this population, about which little has been written and, scientifically, about which little is known. Behaviorally speaking, felching entails sucking or eating semen out of someone’s anus. Among heterosexual or bisexually involved couples, felching occasionally occurs as well, and entails sucking or eating semen out of someone’s anus or vagina. In terms of actual practice among MSM, however, what usually happens is that one man performs unprotected anal sex on another man, ejaculates inside of that man’s anus, sucks out the semen from that man’s anus, and then swallows the semen. Sometimes, this process is taken one step farther by then feeding the semen back to the original recipient by drooling it onto or into his mouth or exchanging it back and

RESUMEN

El objetivo principal de configurar situaciones de investigación cualitativa analizamos sus discursos algunas conclusiones que intervenciones para la pr

PALABRAS CLAVE: Preveni

Received: 16 April 2012 / Revised: 8 October 2012 / Accepted: 2
© Springer Science+Business Media New York 2013

Abstract The exchange of semen, often referred to as “play,” has featured in gay literature and may be a key aspect of many gay men’s sexual behavior. We investigate the prevalence of “cum play” and its context among HIV-negative and 147 HIV-positive Australian gay men in an online survey. Receptive cum play (partner ejaculating rubbing his semen over participant’s anus, or participant using partner’s semen as lubricant) was reported by one HIV-negative and one quarter of HIV-positive men on the same occasion of protected anal intercourse with a partner (PAIC). HIV-negative men who engaged in receptive cum play during PAIC often believed that their partner was HIV seroconcordant and tended to trust that partner. We were also generally more optimistic about the likelihood of HIV transmission, and they often only used condoms at partners’ instigation. **Cum play was not uncommon and highlights the narrowness (or danger) of focusing on condoms without considering the implications of broader sexual practices and their meaning for sexual health promotion.** “Sex” for some gay and bisexual men does not necessarily mean consistent commitment to condom use or to avoid semen exchange. Many feel confident in their knowledge of their partner’s HIV serostatus and only use condoms

Abstract

This paper examines cultural and unreported receptive anal intercourse findings are derived from 12 HIV-negative counterparts. Focusing on the narratives of values and functions of semen, differ by HIV serostatus and with HIV-positive men. Against desire and infertility, this unique study of sexuality among gay men, secondary HIV prevention, inc

increasingly rely on serosorting a

El semen y la parafernalia sexual

A lot of sperm - anytime, everywhere! Rush Cum Lube is a premium silicone and water based lubricant. This lube does not just look like sperm, but also has the same consistency. Filled in a handy bottle which fits in any pocket.

Whether you are looking for a lot of ejaculate for porn, playing around alone or with your partner or celebrate a nice kinky sex orgy - with Rush Cum Lube everything becomes a sparkling pleasure.


- unique formula
- silicone- and waterbased lube
- free from oil and grease
- hypoallergenic
- without preservatives
- simple, clean dosage
- sperm-like consistency
- nice sperm look
- suitable for all sextoys
- compatible with all condoms
- long lasting lubrication

Cum Gun Ultra Strong 10 ml - Room Odourizer


Be the first to review this product

Cum Gun Ultra Strong 10 ml - Room Odourizer

SKU: 017410



Aparición de una subcultura sexual: lenguaje



The image shows a screenshot of a dating app profile. At the top, there is a back arrow, a profile picture placeholder with the letter 'S', and the name ',me lefas?'. To the right of the name is a signal strength icon. Below the name is a green circular status indicator. The profile text includes: 'Ultima conexión hace 17 minutos, a 1 km de distancia', 'Blanco, 35 años, Citando', '1.74 m, 69 kg, Algo de pelo corporal'. There are three sections: 'Soy' (Deportista, Cazador de osos, Discreto), 'Lo que hago' (Masculino, Comerla, safe sex, sucker, besos, kisses, touch, have Fun. Finde en Bcn. X el Example tomando unas cervezas, molaría una XL para comerla y si te gusta dar lefa... Y pasarlo bien... Avisa...), and 'Lo que busco' (Safe sex, comerla, masculinos, kiss, Morreos, sucker, touch.gente sana sólo. Healthy people.).

< S ,me lefas? 

 ,me lefas?

Ultima conexión hace 17 minutos, a 1 km de distancia
Blanco, 35 años, Citando
1.74 m, 69 kg, Algo de pelo corporal

Soy
Deportista, Cazador de osos, Discreto

Lo que hago
Masculino, Comerla , safe sex, sucker, besos, kisses, touch, have Fun.
Finde en Bcn.
X el Example tomando unas cervezas, molaría una XL para comerla y si te gusta dar lefa... Y pasarlo bien... Avisa...

Lo que busco
Safe sex, comerla, masculinos, kiss, Morreos, sucker, touch.gente sana sólo. Healthy people.

Prácticas sexuales que se pueden realizar en las fiestas privadas de sexo en grupo

- Bareback/Barebacking (BB)
- Fist/fist-fucking/fisting
- BDSM (Bondage y disciplina; dominación y sumisión; sadismo y masoquismo).
- Creampie
- Felching
- Gangbang
- Limpieza de la cuchara del batido
- Néctar de los dioses
- Doble/triple penetración
- Lluvia dorada
- Orinar dentro del ano
- Otros fetichismos (p.e., scat)

¿Es compatible el uso del condón en una fiesta de sexo en grupo bajo el consumo de drogas?

Article

Sexual Orientation, Drug Use Preference during Sex, and HIV Risk Practices and Preferences among Men Who Specifically Seek Unprotected Sex Partners via the Internet

Hugh Klein

Kensington Research Institute, 401 Schuyler Road, Silver Spring, Maryland, 20910, USA; Center for the Study and Prevention of Drug Use, Morgan State University, Baltimore, Maryland, USA; E-Mail: hughk@aol.com; Tel.: +1-301-588-8875

Received: 12 March 2009 / Accepted: 6 May 2009 / Published: 11 May 2009

Abstract: The present study entailed conducting a content analysis of 1,434 ads/profiles posted on one of the most popular “Men who have Sex with Men” (MSM) websites that specifically fosters unprotected sex. Ads/profiles were selected randomly based on the American ZIP code of residence ($n = 1,316$), with a randomly-drawn oversampling of profiles of men who self-identified as heterosexual or “curious” rather than gay or bisexual ($n = 118$). Data were collected between September 2006 and September 2007. The purpose of the present paper is to examine the conjoint effects of self-identified sexual orientation and preference for having/not having sex while high, on men’s sought-after sexual risk. Analytical comparisons of the four groups showed that, on most measures, the combination of sexual orientation and drug use preference during sex differentiated the men. **Generally speaking, gay/bisexual men who advertised online for partners with whom they could have sex while high expressed the greatest interest in risky sexual behaviors (e.g., felching, unprotected oral sex, unprotected anal sex) and various risk-related preferences (e.g., multiple partner sex, anonymous sex, eroticizing ejaculatory fluids).** This is especially true when they are compared to their heterosexual/“curious” counterparts whose online profiles were not as likely to indicate a desire for having sex while high.

Desafíos para la prevención y el abordaje

- ¿Cómo acceder a estos espacios?, y/o
- ¿Cómo acceder a hombres que han dejado de asistir a los locales de sexo?
- Entender las necesidades o motivos que llevan a estos hombres a asistir a una fiesta de sexo.
- ¿Prevención combinada? ¿PrEP?
- Prevención positiva
- Unidades del VIH deben ser los espacios más apropiados para detectar y hacer derivaciones oportunas.
- Servicios para HSH con consumo problemático deben estar adaptados y abordar la relación drogas-sexo.



¡MUCHAS GRACIAS!

